

Project : Arturo García Simulation Run : 2 yr - 2 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1

End of Run : 10Jan2008, 02:30 Meteorologic Model : 2 yr


Compute Time : 09Apr2008, 09:00:46 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	8.4 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:05
Total Precipitation :	2.51 (IN)	Total Direct Runoff :	0.53 (IN)
Total Loss :	1.98 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	0.53 (IN)	Discharge :	0.53 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "2 yr - 2 hr"



- Run:2 YR - 2 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:2 YR - 2 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:2 YR - 2 HR Element:PROYECTO-3-1 Result:Outflow
- Run:2 YR - 2 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 2 yr - 3 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00

Basin Model : Basin 1

End of Run : 10Jan2008, 03:30

Meteorologic Model : 2 yr

Compute Time : 09Apr2008, 08:42:38


Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	9.5 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:35
Total Precipitation :	2.73 (IN)	Total Direct Runoff :	0.65 (IN)
Total Loss :	2.08 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	0.65 (IN)	Discharge :	0.65 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "2 yr - 3 hr"



- Run:2 YR - 3 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:2 YR - 3 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:2 YR - 3 HR Element:PROYECTO-3-1 Result:Outflow
- Run:2 YR - 3 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 2 yr - 6 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00

Basin Model : Basin 1

End of Run : 10Jan2008, 07:00

Meteorologic Model : 2 yr

Compute Time : 09Apr2008, 08:27:11


Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	12.7 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 03:04
Total Precipitation :	3.34 (IN)	Total Direct Runoff :	1.02 (IN)
Total Loss :	2.32 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	1.02 (IN)	Discharge :	1.02 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "2 yr - 6 hr"



- Run:2 YR - 6 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:2 YR - 6 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:2 YR - 6 HR Element:PROYECTO-3-1 Result:Outflow
- Run:2 YR - 6 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 2 yr - 12 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1

End of Run : 10Jan2008, 13:00 Meteorologic Model : 2 yr


Compute Time : 08Apr2008, 19:25:40 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	15.4 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 06:04
Total Precipitation :	3.96 (IN)	Total Direct Runoff :	1.43 (IN)
Total Loss :	2.53 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	1.43 (IN)	Discharge :	1.43 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "2 yr - 12 hr"



- Run:2 YR - 12 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:2 YR - 12 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:2 YR - 12 HR Element:PROYECTO-3-1 Result:Outflow
- Run:2 YR - 12 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 2 yr - 24 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1

End of Run : 11Jan2008, 02:30 Meteorologic Model : 2 yr


Compute Time : 08Apr2008, 19:07:56 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	17.8 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 12:04
Total Precipitation :	4.62 (IN)	Total Direct Runoff :	1.91 (IN)
Total Loss :	2.71 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	1.91 (IN)	Discharge :	1.91 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "2 yr - 24 hr"



- Run:2 YR - 24 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:2 YR - 24 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:2 yr - 24 hr Element:PROYECTO-3-1 Result:Outflow
- Run:2 YR - 24 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 5 yr - 2 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1

End of Run : 10Jan2008, 02:30 Meteorologic Model : 5 yr


Compute Time : 08Apr2008, 18:31:16 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	17.3 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:04
Total Precipitation :	3.46 (IN)	Total Direct Runoff :	1.09 (IN)
Total Loss :	2.36 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	1.09 (IN)	Discharge :	1.09 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "5 yr - 2 hr"



- Run:5 YR - 2 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:5 YR - 2 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:5 YR - 2 HR Element:PROYECTO-3-1 Result:Outflow
- Run:5 YR - 2 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 5 yr - 3 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1

End of Run : 10Jan2008, 04:00 Meteorologic Model : 5 yr


Compute Time : 08Apr2008, 17:55:32 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	19.4 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:34
Total Precipitation :	3.84 (IN)	Total Direct Runoff :	1.35 (IN)
Total Loss :	2.49 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	1.35 (IN)	Discharge :	1.35 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "5 yr - 3 hr"



- Run:5 YR - 3 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:5 YR - 3 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:5 YR - 3 HR Element:PROYECTO-3-1 Result:Outflow
- Run:5 YR - 3 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 5 yr - 6 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1

End of Run : 10Jan2008, 08:00 Meteorologic Model : 5 yr


Compute Time : 08Apr2008, 17:36:19 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	23.1 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 03:04
Total Precipitation :	4.61 (IN)	Total Direct Runoff :	1.90 (IN)
Total Loss :	2.71 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	1.90 (IN)	Discharge :	1.90 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "5 yr - 6 hr"



- Run:5 YR - 6 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:5 YR - 6 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:5 yr - 6 hr Element:PROYECTO-3-1 Result:Outflow
- Run:5 YR - 6 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 5 yr - 12 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1

End of Run : 10Jan2008, 13:00 Meteorologic Model : 5 yr


Compute Time : 08Apr2008, 17:25:01 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	26.6 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 06:04
Total Precipitation :	5.57 (IN)	Total Direct Runoff :	2.64 (IN)
Total Loss :	2.92 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	2.64 (IN)	Discharge :	2.64 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "5 yr - 12 hr"



- Run: 5 YR - 12 HR Element: PROYECTO-3-1 Result: Incremental Precipitation
- Run: 5 YR - 12 HR Element: PROYECTO-3-1 Result: Precipitation Loss
- Run: 5 YR - 12 HR Element: PROYECTO-3-1 Result: Outflow
- Run: 5 YR - 12 HR Element: PROYECTO-3-1 Result: Baseflow

Project : Arturo García Simulation Run : 5 yr - 24 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1

End of Run : 11Jan2008, 03:00 Meteorologic Model : 5 yr


Compute Time : 08Apr2008, 16:52:48 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	29.2 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 12:04
Total Precipitation :	6.43 (IN)	Total Direct Runoff :	3.35 (IN)
Total Loss :	3.08 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	3.35 (IN)	Discharge :	3.35 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "5 yr - 24 hr"



- Run:5 YR - 24 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:5 YR - 24 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:5 YR - 24 HR Element:PROYECTO-3-1 Result:Outflow
- Run:5 YR - 24 HR Element:PROYECTO-3-1 Result:Baseflow


Project : Arturo García Simulation Run : 10 yr - 2 hr Subbasin: Proyecto-3-1
Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1
End of Run : 10Jan2008, 03:00 Meteorologic Model : 10 yr
Compute Time : 08Apr2008, 17:09:58 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	23.9 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:04
Total Precipitation :	4.08 (IN)	Total Direct Runoff :	1.50 (IN)
Total Loss :	2.58 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	1.50 (IN)	Discharge :	1.50 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "10 yr - 2 hr"



- Run:10 YR - 2 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:10 YR - 2 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:10 YR - 2 HR Element:PROYECTO-3-1 Result:Outflow
- Run:10 YR - 2 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 10 yr - 3 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1

End of Run : 10Jan2008, 04:00 Meteorologic Model : 10 yr


Compute Time : 08Apr2008, 16:29:33 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	26.5 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:34
Total Precipitation :	4.55 (IN)	Total Direct Runoff :	1.86 (IN)
Total Loss :	2.69 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	1.86 (IN)	Discharge :	1.86 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "10 yr - 3 hr"



- Run:10 yr - 3 hr Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:10 yr - 3 hr Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:10 yr - 3 hr Element:PROYECTO-3-1 Result:Outflow
- Run:10 yr - 3 hr Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 10 yr - 6 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1

End of Run : 10Jan2008, 09:00 Meteorologic Model : 10 yr


Compute Time : 08Apr2008, 15:33:20 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	30.5 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 03:04
Total Precipitation :	5.44 (IN)	Total Direct Runoff :	2.55 (IN)
Total Loss :	2.90 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	2.55 (IN)	Discharge :	2.55 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "10 yr - 6 hr"



- Run:10 YR - 6 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:10 YR - 6 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:10 YR - 6 HR Element:PROYECTO-3-1 Result:Outflow
- Run:10 YR - 6 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 10 yr - 12 hr Subbasin: Proyecto-3-1


Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1
End of Run : 10Jan2008, 14:00 Meteorologic Model : 10 yr
Compute Time : 08Apr2008, 13:26:01 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	34.2 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 06:04
Total Precipitation :	6.53 (IN)	Total Direct Runoff :	3.44 (IN)
Total Loss :	3.10 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	3.44 (IN)	Discharge :	3.44 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "10 yr - 12 hr"



- Run:10 YR - 12 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:10 YR - 12 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:10 YR - 12 HR Element:PROYECTO-3-1 Result:Outflow
- Run:10 YR - 12 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 10 yr - 24 hr Subbasin: Proyecto-3-1


Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1
End of Run : 11Jan2008, 02:30 Meteorologic Model : 10 yr
Compute Time : 08Apr2008, 18:51:38 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	36.6 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 12:04
Total Precipitation :	7.42 (IN)	Total Direct Runoff :	4.19 (IN)
Total Loss :	3.23 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	4.19 (IN)	Discharge :	4.19 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "10 yr - 24 hr"



- Run:10 YR - 24 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:10 YR - 24 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:10 YR - 24 HR Element:PROYECTO-3-1 Result:Outflow
- Run:10 YR - 24 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 25 yr - 2 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00

Basin Model : Basin 1

End of Run : 10Jan2008, 02:30

Meteorologic Model : 25 yr

Compute Time : 09Apr2008, 10:44:34


Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	30.1 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:04
Total Precipitation :	4.60 (IN)	Total Direct Runoff :	1.89 (IN)
Total Loss :	2.71 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	1.89 (IN)	Discharge :	1.89 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "25 yr - 2 hr"



- Run:25 YR - 2 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:25 YR - 2 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:25 YR - 2 HR Element:PROYECTO-3-1 Result:Outflow
- Run:25 YR - 2 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 25 yr - 3 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1

End of Run : 10Jan2008, 03:30 Meteorologic Model : 25 yr


Compute Time : 09Apr2008, 10:28:45 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	32.9 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:34
Total Precipitation :	5.15 (IN)	Total Direct Runoff :	2.31 (IN)
Total Loss :	2.84 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	2.31 (IN)	Discharge :	2.31 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "25 yr - 3 hr"



- Run:25 YR - 3 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:25 YR - 3 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:25 YR - 3 HR Element:PROYECTO-3-1 Result:Outflow
- Run:25 YR - 3 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 25 yr - 6 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1

End of Run : 10Jan2008, 07:00 Meteorologic Model : 25 yr


Compute Time : 09Apr2008, 10:20:04 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	37.9 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 03:04
Total Precipitation :	6.40 (IN)	Total Direct Runoff :	3.32 (IN)
Total Loss :	3.08 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	3.32 (IN)	Discharge :	3.32 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "25 yr - 6 hr"



- Run:25 YR - 6 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:25 YR - 6 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:25 YR - 6 HR Element:PROYECTO-3-1 Result:Outflow
- Run:25 YR - 6 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 25 yr - 12 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00

Basin Model : Basin 1

End of Run : 10Jan2008, 13:00

Meteorologic Model : 25 yr

Compute Time : 09Apr2008, 10:09:18


Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	41.5 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 06:04
Total Precipitation :	7.60 (IN)	Total Direct Runoff :	4.35 (IN)
Total Loss :	3.25 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	4.35 (IN)	Discharge :	4.35 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "25 yr - 12 hr"



- Run:25 YR - 12 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:25 YR - 12 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:25 YR - 12 HR Element:PROYECTO-3-1 Result:Outflow
- Run:25 YR - 12 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 25 yr - 24 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00

Basin Model : Basin 1

End of Run : 11Jan2008, 01:00

Meteorologic Model : 25 yr

Compute Time : 09Apr2008, 09:22:05


Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	45.1 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 12:04
Total Precipitation :	9.20 (IN)	Total Direct Runoff :	5.76 (IN)
Total Loss :	3.44 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	5.76 (IN)	Discharge :	5.76 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "25 yr - 24 hr"



- Run:25 YR - 24 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:25 YR - 24 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:25 YR - 24 HR Element:PROYECTO-3-1 Result:Outflow
- Run:25 YR - 24 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 50 yr - 2 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1

End of Run : 10Jan2008, 02:30 Meteorologic Model : 50 yr


Compute Time : 09Apr2008, 14:10:16 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	36.8 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:04
Total Precipitation :	5.10 (IN)	Total Direct Runoff :	2.28 (IN)
Total Loss :	2.82 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	2.28 (IN)	Discharge :	2.28 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "50 yr - 2 hr"



- Run:50 YR - 2 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:50 YR - 2 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:50 YR - 2 HR Element:PROYECTO-3-1 Result:Outflow
- Run:50 YR - 2 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 50 yr - 3 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1

End of Run : 10Jan2008, 03:30 Meteorologic Model : 50 yr


Compute Time : 09Apr2008, 13:37:53 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	39.1 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:34
Total Precipitation :	5.55 (IN)	Total Direct Runoff :	2.63 (IN)
Total Loss :	2.92 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	2.63 (IN)	Discharge :	2.63 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "50 yr - 3 hr"



- Run:50 YR - 3 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:50 YR - 3 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:50 YR - 3 HR Element:PROYECTO-3-1 Result:Outflow
- Run:50 YR - 3 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 50 yr - 6 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1

End of Run : 10Jan2008, 07:00 Meteorologic Model : 50 yr


Compute Time : 09Apr2008, 13:25:54 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	45.3 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 03:04
Total Precipitation :	7.10 (IN)	Total Direct Runoff :	3.91 (IN)
Total Loss :	3.19 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	3.91 (IN)	Discharge :	3.91 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "50 yr - 6 hr"



- Run:50 YR - 6 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:50 YR - 6 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:50 YR - 6 HR Element:PROYECTO-3-1 Result:Outflow
- Run:50 YR - 6 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 50 yr - 12 hr Subbasin: Proyecto-3-1

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1

End of Run : 10Jan2008, 13:00 Meteorologic Model : 50 yr


Compute Time : 09Apr2008, 12:26:47 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	49.5 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 06:04
Total Precipitation :	8.60 (IN)	Total Direct Runoff :	5.22 (IN)
Total Loss :	3.38 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	5.22 (IN)	Discharge :	5.22 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "50 yr - 12 hr"



- Run:50 YR - 12 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:50 YR - 12 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:50 YR - 12 HR Element:PROYECTO-3-1 Result:Outflow
- Run:50 YR - 12 HR Element:PROYECTO-3-1 Result:Baseflow

Project : Arturo García Simulation Run : 50 yr - 24 hr Subbasin: Proyecto-3-1


Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1
End of Run : 10Jan2008, 13:00 Meteorologic Model : 50 yr
Compute Time : 09Apr2008, 12:37:30 Control Specifications : Control 1

Volume Units : IN

Computed Results

Peak Discharge :	52.8 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 12:04
Total Precipitation :	7.65 (IN)	Total Direct Runoff :	4.35 (IN)
Total Loss :	3.26 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	4.39 (IN)	Discharge :	4.35 (IN)

Subbasin Element "Proyecto-3-1" Results for Run "50 yr - 24 hr"



- Run:50 YR - 24 HR Element:PROYECTO-3-1 Result:Incremental Precipitation
- Run:50 YR - 24 HR Element:PROYECTO-3-1 Result:Precipitation Loss
- Run:50 YR - 24 HR Element:PROYECTO-3-1 Result:Outflow
- Run:50 YR - 24 HR Element:PROYECTO-3-1 Result:Baseflow