


### Subbasin Element "Proyecto-3-2" Results for Run "25 yr - 24 hr"



- Run:25 YR - 24 HR Element:PROYECTO-3-2 Result:Incremental Precipitation
- Run:25 YR - 24 HR Element:PROYECTO-3-2 Result:Precipitation Loss
- Run:25 YR - 24 HR Element:PROYECTO-3-2 Result:Outflow
- Run:25 YR - 24 HR Element:PROYECTO-3-2 Result:Baseflow

Project : Arturo García Simulation Run : 50 yr - 2 hr Subbasin: Proyecto-3-2

Start of Run : 10Jan2008, 00:00

Basin Model : Basin 1

End of Run : 10Jan2008, 02:30

Meteorologic Model : 50 yr

Compute Time : 09Apr2008, 14:10:16


Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	41.2 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:04
Total Precipitation :	5.10 (IN)	Total Direct Runoff :	3.46 (IN)
Total Loss :	1.64 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	3.46 (IN)	Discharge :	3.46 (IN)

### Subbasin Element "Proyecto-3-2" Results for Run "50 yr - 2 hr"



- Run:50 YR - 2 HR Element:PROYECTO-3-2 Result:Incremental Precipitation
- Run:50 YR - 2 HR Element:PROYECTO-3-2 Result:Precipitation Loss
- Run:50 YR - 2 HR Element:PROYECTO-3-2 Result:Outflow
- Run:50 YR - 2 HR Element:PROYECTO-3-2 Result:Baseflow

Project : Arturo García Simulation Run : 50 yr - 3 hr Subbasin: Proyecto-3-2

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1

End of Run : 10Jan2008, 03:30 Meteorologic Model : 50 yr


Compute Time : 09Apr2008, 13:37:53 Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	42.2 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:34
Total Precipitation :	5.55 (IN)	Total Direct Runoff :	3.88 (IN)
Total Loss :	1.67 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	3.88 (IN)	Discharge :	3.88 (IN)

### Subbasin Element "Proyecto-3-2" Results for Run "50 yr - 3 hr"



- Run:50 YR - 3 HR Element:PROYECTO-3-2 Result:Incremental Precipitation
- Run:50 YR - 3 HR Element:PROYECTO-3-2 Result:Precipitation Loss
- Run:50 YR - 3 HR Element:PROYECTO-3-2 Result:Outflow
- Run:50 YR - 3 HR Element:PROYECTO-3-2 Result:Baseflow

Project : Arturo García Simulation Run : 50 yr - 6 hr Subbasin: Proyecto-3-2

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1

End of Run : 10Jan2008, 07:00 Meteorologic Model : 50 yr


Compute Time : 09Apr2008, 13:25:54 Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	44.6 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 03:04
Total Precipitation :	7.10 (IN)	Total Direct Runoff :	5.35 (IN)
Total Loss :	1.75 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	5.35 (IN)	Discharge :	5.35 (IN)

### Subbasin Element "Proyecto-3-2" Results for Run "50 yr - 6 hr"



- Run:50 YR - 6 HR Element:PROYECTO-3-2 Result:Incremental Precipitation
- Run:50 YR - 6 HR Element:PROYECTO-3-2 Result:Precipitation Loss
- Run:50 YR - 6 HR Element:PROYECTO-3-2 Result:Outflow
- Run:50 YR - 6 HR Element:PROYECTO-3-2 Result:Baseflow

Project : Arturo García Simulation Run : 50 yr - 12 hr Subbasin: Proyecto-3-2

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1  
End of Run : 10Jan2008, 13:00 Meteorologic Model : 50 yr  
Compute Time : 09Apr2008, 12:26:47 Control Specifications : Control 1


Volume Units : IN

#### Computed Results

Peak Discharge :	46.1 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 06:04
Total Precipitation :	8.60 (IN)	Total Direct Runoff :	6.79 (IN)
Total Loss :	1.81 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	6.79 (IN)	Discharge :	6.79 (IN)



### Subbasin Element "Proyecto-3-2" Results for Run "50 yr - 12 hr"



- Run:50 YR - 12 HR Element:PROYECTO-3-2 Result:Incremental Precipitation
- Run:50 YR - 12 HR Element:PROYECTO-3-2 Result:Precipitation Loss
- Run:50 YR - 12 HR Element:PROYECTO-3-2 Result:Outflow
- Run:50 YR - 12 HR Element:PROYECTO-3-2 Result:Baseflow

Project : Arturo García Simulation Run : 50 yr - 24 hr Subbasin: Proyecto-3-2

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1

End of Run : 10Jan2008, 13:00 Meteorologic Model : 50 yr


Compute Time : 09Apr2008, 12:37:30 Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	47.2 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 12:04
Total Precipitation :	7.65 (IN)	Total Direct Runoff :	5.83 (IN)
Total Loss :	1.77 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	5.87 (IN)	Discharge :	5.83 (IN)

### Subbasin Element "Proyecto-3-2" Results for Run "50 yr - 24 hr"



- Run:50 YR - 24 HR Element:PROYECTO-3-2 Result:Incremental Precipitation
- Run:50 YR - 24 HR Element:PROYECTO-3-2 Result:Precipitation Loss
- Run:50 YR - 24 HR Element:PROYECTO-3-2 Result:Outflow
- Run:50 YR - 24 HR Element:PROYECTO-3-2 Result:Baseflow

Project : LAIF-GUAYNABO Simulation Run : 100 yr - 2 hr Subbasin: Proyecto-3-2

Start of Run : 10Jan2008, 00:00

Basin Model : Basin 1

End of Run : 10Jan2008, 02:30

Meteorologic Model : 100 yr

Compute Time : 09Apr2008, 15:52:39


Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	45.7 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:04
Total Precipitation :	5.60 (IN)	Total Direct Runoff :	3.93 (IN)
Total Loss :	1.67 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	3.93 (IN)	Discharge :	3.93 (IN)

Subbasin Element "Proyecto-3-2" Results for Run "100 yr - 2 hr"



- Run:100 YR - 2 HR Element:PROYECTO-3-2 Result:Incremental Precipitation
- Run:100 YR - 2 HR Element:PROYECTO-3-2 Result:Precipitation Loss
- Run:100 YR - 2 HR Element:PROYECTO-3-2 Result:Outflow
- Run:100 YR - 2 HR Element:PROYECTO-3-2 Result:Baseflow

Project : LAIF-GUAYNABO Simulation Run : 100 yr - 3 hr Subbasin: Proyecto-3-2


Start of Run :	10Jan2008, 00:00	Basin Model :	Basin 1
End of Run :	10Jan2008, 03:30	Meteorologic Model :	100 yr
Compute Time :	09Apr2008, 15:37:41	Control Specifications :	Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	47.1 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:34
Total Precipitation :	6.30 (IN)	Total Direct Runoff :	4.59 (IN)
Total Loss :	1.71 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	4.59 (IN)	Discharge :	4.59 (IN)

### Subbasin Element "Proyecto-3-2" Results for Run "100 yr - 3 hr"



- Run:100 YR - 3 HR Element:PROYECTO-3-2 Result:Incremental Precipitation
- Run:100 YR - 3 HR Element:PROYECTO-3-2 Result:Precipitation Loss
- Run:100 YR - 3 HR Element:PROYECTO-3-2 Result:Outflow
- Run:100 YR - 3 HR Element:PROYECTO-3-2 Result:Baseflow



Project : LAIF-GUAYNABO Simulation Run : 100 yr - 6 hr Subbasin: Proyecto-3-2

Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1  
End of Run : 10Jan2008, 07:00 Meteorologic Model : 100 yr  
Compute Time : 09Apr2008, 15:24:15 Control Specifications : Control 1


Volume Units : IN

#### Computed Results

Peak Discharge :	49.2 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 03:04
Total Precipitation :	7.90 (IN)	Total Direct Runoff :	6.12 (IN)
Total Loss :	1.78 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	6.12 (IN)	Discharge :	6.12 (IN)



### Subbasin Element "Proyecto-3-2" Results for Run "100 yr - 6 hr"



- Run:100 YR - 6 HR Element:PROYECTO-3-2 Result:Incremental Precipitation
- Run:100 YR - 6 HR Element:PROYECTO-3-2 Result:Precipitation Loss
- Run:100 YR - 6 HR Element:PROYECTO-3-2 Result:Outflow
- Run:100 YR - 6 HR Element:PROYECTO-3-2 Result:Baseflow

Project : LAIF-GUAYNABO Simulation Run : 100 yr - 12 hr Subbasin: Proyecto-3-2


Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1  
End of Run : 10Jan2008, 12:30 Meteorologic Model : 100 yr  
Compute Time : 09Apr2008, 14:49:07 Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	50.6 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 06:04
Total Precipitation :	9.50 (IN)	Total Direct Runoff :	7.67 (IN)
Total Loss :	1.83 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	7.67 (IN)	Discharge :	7.67 (IN)

### Subbasin Element "Proyecto-3-2" Results for Run "100 yr - 12 hr"



- Run:100 YR - 12 HR Element:PROYECTO-3-2 Result:Incremental Precipitation
- Run:100 YR - 12 HR Element:PROYECTO-3-2 Result:Precipitation Loss
- Run:100 YR - 12 HR Element:PROYECTO-3-2 Result:Outflow
- Run:100 YR - 12 HR Element:PROYECTO-3-2 Result:Baseflow

Project : Arturo García Simulation Run : 100 yr - 24 hr Subbasin: Proyecto-3-2


Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1  
End of Run : 11Jan2008, 02:30 Meteorologic Model : 100 yr  
Compute Time : 09Apr2008, 14:16:18 Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	51.7 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 12:04
Total Precipitation :	11.40 (IN)	Total Direct Runoff :	9.53 (IN)
Total Loss :	1.87 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	9.53 (IN)	Discharge :	9.53 (IN)

### Subbasin Element "Proyecto-3-2" Results for Run "100 yr - 24 hr"



- Run:100 YR - 24 HR Element:PROYECTO-3-2 Result:Incremental Precipitation
- Run:100 YR - 24 HR Element:PROYECTO-3-2 Result:Precipitation Loss
- Run:100 YR - 24 HR Element:PROYECTO-3-2 Result:Outflow
- Run:100 YR - 24 HR Element:PROYECTO-3-2 Result:Baseflow

SUBBASIN: PROYECTO 4


Project : Arturo García Simulation Run : 2 yr - 2 hr Subbasin: Proyecto-4  
Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1  
End of Run : 10Jan2008, 02:30 Meteorologic Model : 2 yr  
Compute Time : 09Apr2008, 09:00:46 Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	31.2 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:04
Total Precipitation :	2.51 (IN)	Total Direct Runoff :	0.95 (IN)
Total Loss :	1.56 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	0.95 (IN)	Discharge :	0.95 (IN)

Subbasin Element "Proyecto-4" Results for Run "2 yr - 2 hr"



- Run:2 YR - 2 HR Element:PROYECTO-4 Result:Incremental Precipitation
- Run:2 YR - 2 HR Element:PROYECTO-4 Result:Precipitation Loss
- Run:2 YR - 2 HR Element:PROYECTO-4 Result:Outflow
- Run:2 YR - 2 HR Element:PROYECTO-4 Result:Baseflow




Project : Arturo García Simulation Run : 2 yr - 3 hr Subbasin: Proyecto-4  
Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1  
End of Run : 10Jan2008, 03:30 Meteorologic Model : 2 yr  
Compute Time : 09Apr2008, 08:42:38 Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	33.6 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:34
Total Precipitation :	2.73 (IN)	Total Direct Runoff :	1.11 (IN)
Total Loss :	1.62 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	1.11 (IN)	Discharge :	1.11 (IN)

Subbasin Element "Proyecto-4" Results for Run "2 yr - 3 hr"



- Run:2 YR - 3 HR Element:PROYECTO-4 Result:Incremental Precipitation
- Run:2 YR - 3 HR Element:PROYECTO-4 Result:Precipitation Loss
- Run:2 YR - 3 HR Element:PROYECTO-4 Result:Outflow
- Run:2 YR - 3 HR Element:PROYECTO-4 Result:Baseflow


Project : Arturo García Simulation Run : 2 yr - 6 hr Subbasin: Proyecto-4  
Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1  
End of Run : 10Jan2008, 07:00 Meteorologic Model : 2 yr  
Compute Time : 09Apr2008, 08:27:11 Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	39.1 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 03:04
Total Precipitation :	3.34 (IN)	Total Direct Runoff :	1.58 (IN)
Total Loss :	1.76 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	1.58 (IN)	Discharge :	1.58 (IN)

### Subbasin Element "Proyecto-4" Results for Run "2 yr - 6 hr"



- Run:2 YR - 6 HR Element:PROYECTO-4 Result:Incremental Precipitation
- Run:2 YR - 6 HR Element:PROYECTO-4 Result:Precipitation Loss
- Run:2 YR - 6 HR Element:PROYECTO-4 Result:Outflow
- Run:2 YR - 6 HR Element:PROYECTO-4 Result:Baseflow


Project : Arturo García Simulation Run : 2 yr - 12 hr Subbasin: Proyecto-4  
Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1  
End of Run : 10Jan2008, 13:00 Meteorologic Model : 2 yr  
Compute Time : 08Apr2008, 19:25:40 Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	43.3 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 06:04
Total Precipitation :	3.96 (IN)	Total Direct Runoff :	2.09 (IN)
Total Loss :	1.87 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	2.09 (IN)	Discharge :	2.09 (IN)

Subbasin Element "Proyecto-4" Results for Run "2 yr - 12 hr"



- Run:2 YR - 12 HR Element:PROYECTO-4 Result:Incremental Precipitation
- Run:2 YR - 12 HR Element:PROYECTO-4 Result:Precipitation Loss
- Run:2 YR - 12 HR Element:PROYECTO-4 Result:Outflow
- Run:2 YR - 12 HR Element:PROYECTO-4 Result:Baseflow


Project : Arturo García Simulation Run : 2 yr - 24 hr Subbasin: Proyecto-4  
Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1  
End of Run : 11Jan2008, 02:30 Meteorologic Model : 2 yr  
Compute Time : 08Apr2008, 19:07:56 Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	46.9 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 12:04
Total Precipitation :	4.62 (IN)	Total Direct Runoff :	2.65 (IN)
Total Loss :	1.97 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	2.65 (IN)	Discharge :	2.65 (IN)

### Subbasin Element "Proyecto-4" Results for Run "2 yr - 24 hr"



- Run:2 YR - 24 HR Element:PROYECTO-4 Result:Incremental Precipitation
- Run:2 YR - 24 HR Element:PROYECTO-4 Result:Precipitation Loss
- Run:2 yr - 24 hr Element:PROYECTO-4 Result:Outflow
- Run:2 YR - 24 HR Element:PROYECTO-4 Result:Baseflow




Project : Arturo García Simulation Run : 5 yr - 2 hr Subbasin: Proyecto-4  
Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1  
End of Run : 10Jan2008, 02:30 Meteorologic Model : 5 yr  
Compute Time : 08Apr2008, 18:31:16 Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	52.0 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:04
Total Precipitation :	3.46 (IN)	Total Direct Runoff :	1.67 (IN)
Total Loss :	1.78 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	1.67 (IN)	Discharge :	1.67 (IN)

### Subbasin Element "Proyecto-4" Results for Run "5 yr - 2 hr"



- Run:5 YR - 2 HR Element:PROYECTO-4 Result:Incremental Precipitation
- Run:5 YR - 2 HR Element:PROYECTO-4 Result:Precipitation Loss
- Run:5 YR - 2 HR Element:PROYECTO-4 Result:Outflow
- Run:5 YR - 2 HR Element:PROYECTO-4 Result:Baseflow


Project : Arturo García Simulation Run : 5 yr - 3 hr Subbasin: Proyecto-4  
Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1  
End of Run : 10Jan2008, 04:00 Meteorologic Model : 5 yr  
Compute Time : 08Apr2008, 17:55:32 Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	55.4 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:34
Total Precipitation :	3.84 (IN)	Total Direct Runoff :	1.99 (IN)
Total Loss :	1.85 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	1.99 (IN)	Discharge :	1.99 (IN)

### Subbasin Element "Proyecto-4" Results for Run "5 yr - 3 hr"



- Run:5 YR - 3 HR Element:PROYECTO-4 Result:Incremental Precipitation
- Run:5 YR - 3 HR Element:PROYECTO-4 Result:Precipitation Loss
- Run:5 YR - 3 HR Element:PROYECTO-4 Result:Outflow
- Run:5 YR - 3 HR Element:PROYECTO-4 Result:Baseflow


Project : Arturo García Simulation Run : 5 yr - 6 hr Subbasin: Proyecto-4  
Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1  
End of Run : 10Jan2008, 08:00 Meteorologic Model : 5 yr  
Compute Time : 08Apr2008, 17:36:19 Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	60.8 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 03:04
Total Precipitation :	4.61 (IN)	Total Direct Runoff :	2.64 (IN)
Total Loss :	1.97 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	2.64 (IN)	Discharge :	2.64 (IN)

### Subbasin Element "Proyecto-4" Results for Run "5 yr - 6 hr"



- Run:5 YR - 6 HR Element:PROYECTO-4 Result:Incremental Precipitation
- Run:5 YR - 6 HR Element:PROYECTO-4 Result:Precipitation Loss
- Run:5 yr - 6 hr Element:PROYECTO-4 Result:Outflow
- Run:5 YR - 6 HR Element:PROYECTO-4 Result:Baseflow


Project : Arturo García Simulation Run : 5 yr - 12 hr Subbasin: Proyecto-4  
Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1  
End of Run : 10Jan2008, 13:00 Meteorologic Model : 5 yr  
Compute Time : 08Apr2008, 17:25:01 Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	65.9 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 06:04
Total Precipitation :	5.57 (IN)	Total Direct Runoff :	3.49 (IN)
Total Loss :	2.08 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	3.49 (IN)	Discharge :	3.49 (IN)

### Subbasin Element "Proyecto-4" Results for Run "5 yr - 12 hr"



- Run:5 YR - 12 HR Element:PROYECTO-4 Result:Incremental Precipitation
- Run:5 YR - 12 HR Element:PROYECTO-4 Result:Precipitation Loss
- Run:5 YR - 12 HR Element:PROYECTO-4 Result:Outflow
- Run:5 YR - 12 HR Element:PROYECTO-4 Result:Baseflow




Project : Arturo García Simulation Run : 5 yr - 24 hr Subbasin: Proyecto-4  
Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1  
End of Run : 11Jan2008, 03:00 Meteorologic Model : 5 yr  
Compute Time : 08Apr2008, 16:52:48 Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	69.3 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 12:04
Total Precipitation :	6.43 (IN)	Total Direct Runoff :	4.28 (IN)
Total Loss :	2.15 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	4.28 (IN)	Discharge :	4.28 (IN)

### Subbasin Element "Proyecto-4" Results for Run "5 yr - 24 hr"



- Run:5 YR - 24 HR Element:PROYECTO-4 Result:Incremental Precipitation
- Run:5 YR - 24 HR Element:PROYECTO-4 Result:Precipitation Loss
- Run:5 YR - 24 HR Element:PROYECTO-4 Result:Outflow
- Run:5 YR - 24 HR Element:PROYECTO-4 Result:Baseflow


Project : Arturo García Simulation Run : 10 yr - 2 hr Subbasin: Proyecto-4  
Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1  
End of Run : 10Jan2008, 03:00 Meteorologic Model : 10 yr  
Compute Time : 08Apr2008, 16:40:39 Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	66.3 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:04
Total Precipitation :	4.06 (IN)	Total Direct Runoff :	2.17 (IN)
Total Loss :	1.89 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	2.17 (IN)	Discharge :	2.17 (IN)

Subbasin Element "Proyecto-4" Results for Run "10 yr - 2 hr"



- Run:10 YR - 2 HR Element:PROYECTO-4 Result:Incremental Precipitation
- Run:10 YR - 2 HR Element:PROYECTO-4 Result:Precipitation Loss
- Run:10 YR - 2 HR Element:PROYECTO-4 Result:Outflow
- Run:10 YR - 2 HR Element:PROYECTO-4 Result:Baseflow


Project : Arturo García Simulation Run : 10 yr - 3 hr Subbasin: Proyecto-4  
Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1  
End of Run : 10Jan2008, 04:00 Meteorologic Model : 10 yr  
Compute Time : 08Apr2008, 16:29:33 Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	70.2 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 01:34
Total Precipitation :	4.55 (IN)	Total Direct Runoff :	2.59 (IN)
Total Loss :	1.96 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	2.59 (IN)	Discharge :	2.59 (IN)

Subbasin Element "Proyecto-4" Results for Run "10 yr - 3 hr"



- Run:10 yr - 3 hr Element:PROYECTO-4 Result:Incremental Precipitation
- Run:10 yr - 3 hr Element:PROYECTO-4 Result:Precipitation Loss
- Run:10 yr - 3 hr Element:PROYECTO-4 Result:Outflow
- Run:10 yr - 3 hr Element:PROYECTO-4 Result:Baseflow


Project : Arturo García Simulation Run : 10 yr - 6 hr Subbasin: Proyecto-4  
Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1  
End of Run : 10Jan2008, 09:00 Meteorologic Model : 10 yr  
Compute Time : 08Apr2008, 15:33:20 Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	75.8 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 03:04
Total Precipitation :	5.44 (IN)	Total Direct Runoff :	3.38 (IN)
Total Loss :	2.06 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	3.38 (IN)	Discharge :	3.38 (IN)

### Subbasin Element "Proyecto-4" Results for Run "10 yr - 6 hr"



- Run: 10 YR - 6 HR Element: PROYECTO-4 Result: Incremental Precipitation
- Run: 10 YR - 6 HR Element: PROYECTO-4 Result: Precipitation Loss
- Run: 10 YR - 6 HR Element: PROYECTO-4 Result: Outflow
- Run: 10 YR - 6 HR Element: PROYECTO-4 Result: Baseflow




Project : Arturo García Simulation Run : 10 yr - 12 hr Subbasin: Proyecto-4  
Start of Run : 10Jan2008, 00:00 Basin Model : Basin 1  
End of Run : 10Jan2008, 14:00 Meteorologic Model : 10 yr  
Compute Time : 08Apr2008, 13:26:01 Control Specifications : Control 1

Volume Units : IN

#### Computed Results

Peak Discharge :	80.8 (CFS)	Date/Time of Peak Discharge :	10Jan2008, 06:04
Total Precipitation :	6.53 (IN)	Total Direct Runoff :	4.37 (IN)
Total Loss :	2.16 (IN)	Total Baseflow :	0.00 (IN)
Total Excess :	4.37 (IN)	Discharge :	4.37 (IN)

### Subbasin Element "Proyecto-4" Results for Run "10 yr - 12 hr"



- Run:10 YR - 12 HR Element:PROYECTO-4 Result:Incremental Precipitation
- Run:10 YR - 12 HR Element:PROYECTO-4 Result:Precipitation Loss
- Run:10 YR - 12 HR Element:PROYECTO-4 Result:Outflow
- Run:10 YR - 12 HR Element:PROYECTO-4 Result:Baseflow